## **2025-2026 Respiratory Vaccine Recommendations**



	Annual Influenza Vaccine	RSV Immunization	Annual COVID-19 Vaccine
Infants and Children	All children 6 months and older.  Some children 6 months through 8 years may need multiple doses.	All infants under 8 months and children 8 through 19 months with risk factors.  Typically administered October through March, if not received during pregnancy.	All infants and children ages 6 months through 23 months, and all children ages 2 years through 18 years with risk factors, and any child over 6 months whose parents would like them to be vaccinated.
Pregnancy	<b>All.</b> At any point in pregnancy.	<b>32 through 36 weeks gestation.</b> Pfizer, Abrysvo only. Typically administered September through January.	<b>All.</b> At any point in pregnancy.
Adults 18 to 50	All.	<b>Not applicable.</b> If pregnant, see above.	All.  Especially important for people with risk factors or who have never received a vaccine.
Adults 50 and older	All. High-dose, recombinant or adjuvanted flu vaccine preferred for 65 and older, if available.	All those 75 and older, and adults 50 through 74 with risk factors.  One lifetime dose of RSV vaccine.	All. Especially important for people with risk factors or who have never received a vaccine.

For more information on respiratory season vaccines, including details about the 2025-2026 Food and Drug Administration approval for these vaccines, visit <a href="Michigan.gov/COVIDFluRSV">Michigan.gov/COVIDFluRSV</a>. The MDHHS COVID-19 vaccine guidance aligns with the guidance from the <a href="American Academy of Pediatrics">American College of Obstetricians and Gynecologists</a>, the <a href="American Academy of Family Physicians">American College of Physicians</a>.

If you have not already received your 2025–2026 COVID-19 vaccine, <u>you may consider yourself high risk</u> when answering screening questions.

As a reminder, speak to your health care provider about the vaccines that are recommended for you.

